Material Safety Data Sheet

May be used to comply with OSHA's Hazard. Communication Standard 29CFR 1910.1200 must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

respiratory tract. conflied areas. Potential health effects conflied areas. Eyes Moderately irritating to the eyes. Skin Contact with skin may cause irritation. Ingestion I Ingestion of Ingeston of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea. 7. Handling and Storage 3. Composition / Information on Ingredients Storage Storage Components Sodium xylenesulphonate Storage Storage Sodium xylenesulphonate Storage Storage Storage Sodium xylene sulphonate Storage Storage Storage First aid procedures Eye contrad Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Eye rotact if we spread wontiation. Local exhaust is suggester excommended. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen artificial respiration. If hegetion far garge anount occurs, seek medical attention. Indicate great autorization if medical tention. NOT induce vomiting. String ushing media Stringuishing media Water fog, foam, dry chemical powder, catoon dioxide Presonal protection Stringuishing media Water for sting or other function if medical attention. Indicate powerease is onother shing. Oxygen or antificial respirati	must be cor	nsulted for spe	cific requirem	ents.					
MSDS # F-ULC Revision Date F-ULC Section 1 - Company Information The Learnier Institute, LLC P (732) 530-3220 J 24 Jighway 35 South F (732) 530-3240 Red Bank, NJ 07701 F (732) 530-3240 Emergency overview Contact with select set institute, com J Hazards Identification F (732) 530-3240 Emergency overview Contact with select set institute, com Potential health effects Even Moderately initiating to the eyes. Stin Contact with skin may cause initiation. Needs for clearning withown instantion. Revision Date instantion. Sodium sylenesuphonate Sodium sylenesuphonate Sodium sylenesuphonate Sodiam sylenesuphonate Sodium sylenesuphonate Sodiam sylenesuphonate Sodium sylenesuphonate Sodiam sylenesuphonate Sodium sylenesuphonate Sodiam sylenesuphonate Sodium sylenesylenesuphonate Sodiam sylenesuphonate </td <td></td> <td></td> <td>•</td> <td></td> <td>Ţ</td> <td></td> <td></td>			•		Ţ				
Revision Date 6/29/2012 Section 1 - Company Information The Leafter Institute, LLC P (732) 530-3220 FLAZ rightway 35 South F (732) 530-3220 FLAZ rightway 35 South F (732) 530-3420 Label and the section of firefighters As in any fire, wear self-contained breathing apparatus pressure-demand. MSHANIOSH (approved or equivalent) and full protective gen. 2. Hazards Identification Environmental pressures Emergency overview Contact with symp any cause initiation. Contact with respiratory tract. Potential health effects Contact with symp or duce gastrointestinal distribute see including instation, may cause initiation. Sin Contact with skin may cause initiation. Ingestion of large amounts may produce gastrointestinal distributances including instaton, nauses and diarrhes. 7. Handling and Storage Components Sodium sylenessity Needs to raising up Sodium sylenessity function Instation preside Sodium sylenessity Sin toriat Frest Aid Measures Frest Aid Measures Frest Aid Measures Frest Aid Measures Frest Aid Measures Frest Aid Measures As in any fire, wear self-contamet with skin and envise int station preside Strontit Three affected preson is not to reali		lass	•	sulfonate					
The restort class FORENTIAL Section 1 - Company Information The Leaster Institute, LLC Rectargency overview P (733) 530-5220 F (732) 530-5440 E Into Eleaster Institute.com www.leasterInstitute.com www.leasterInstitute.com www.leasterInstitute.com www.leasterInstitute.com Protection of fredighters: As in any fire, wear self-contained breathing apparatus, pressure-demand, MOHANIOGH (approved or equivalent) and full protective agence. Sign uppind. Keep but of low areas. Ventilate class spoces brone entering. Emergency overview Contact with eyes may cause initiation. May cause initiation. Contact with skin may cause initiation. May cause initiation of the spoce mapping protective equipment and colling spoce matrix protective equipment and colling. Potential health effects Eyes Moderately initiating to the eyes. Solim of of a up a anount in may produce gastrointestinal doctame singuiting tools to collect absorbed material. Sweep up and shored in suitable containers for disposal. 7. Handling and Storage Thandling Avoid contact with skin and eyes. Wash hands thoroughly after handling Avoid contact with skin and eyes. Wash hands thoroughly after handling Avoid contact with skin and eyes. Wash hands thoroughly after handling Avoid contact with a skin and eyes. Wash hands thoroughly after handling Avoid contact with skin and eyes. Wash hands thoroughly after handling Avoid contact with skin and eyes, with plenty of water for al least 15 minutes. If instaid procedures First aid procedures If within a sin and eyelps are prevent work and eyelps are prevent of containination of transitions in soit caling a stofficial teveprinton. In restaining a difficial, we organ contact						THE			
The Leatter Institute, LLC P (732) 530-3240 apparentix pressure-demand, MSHANIOSH 142 Highway 35 South P (732) 530-3240 (approved or equivalent) and full protective gear. 142 Highway 35 South P (732) 530-3240 (approved or equivalent) and full protective gear. 2. Hazards Identification Exceeding the second of the second www.leatherinstitute.com (approved or equivalent) and full protective gear. 2. Hazards Identification Contact with eyes may cause initiation. May cause initiation of the respiratory trad. Proof grocuidons Provent entry into valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or spillage if safe to do so. Nethods for cleaning up the valenceway, sewere, basements o collect biotectem turber leakage or all processions and contact with skin and eyes. Skin Composition / Information on Ingredients Strong clean non-sparking thois to collect biotectem targets and the subsource the spillage of target and the subsource to do space. PGE Polyestel Coolymer	Revision Date 6/29/2012]				
142 Highway 35 South F (72) 530-340 Red Bank, NJ 07701 E Info@ElestemFinstitute.com 2. Hazards Identification Excidental Release Measures Emergency overview Contact with eyes may cause initiation. May cause initiation of the respiratory tract. Potential health effects Stay output Eyes Moderately initiating to the eyes. Skin Contact with skin may cause initiation. Ingestion Ingestion of large amounts may roduce gastrointestinal disturbances including initiation, nauses and darrhee. 3. Composition / Information on Ingredients Stay output Sodium olefin sufficiate Stay output Sodium sufficie sufficiate Stay output Sodium sufficie sufficiate Stay output Sodium sufficie sufficiate Stay output First aid procedures First aid procedures First aid procedures First aid procedures First aid procedures First aid procedures Sin contact with large amounts of water output sufficience Exposure Controls / Personal protective equipment	Section 1 -	Company Info	ormation		Protection	of firefighters			
vww.leatherinstitute.com Isolate area. Keep unnecessary personnel awy. 2. Hazards Identification Emergency overview Contact with eyes may cause initiation. Contact with skin may cause initiation. Contact with skin may cause initiation. May cause initiation of the respiratory tract. Personal proceutions Environmental precautions Prevent further leakage or spillage if safe to do so. Potential health effects Environmental precautions Prevent further leakage or spillage if safe to do so. Eyes Moderately initiating to the eyes. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage if safe to do so. Skin Contact with skin may cause initiation. Methods for containment Prevent further leakage or spillage in safe to do so. Sodium sufforate <			C				(approved or equivalent) and full protective gear.		
2. Hazards Identification Slay upwind. Keep out of low areas. Ventilate close spaces before entering. Emergency overview Contact with eyes may cause irritation. May cause irritation of the skin may cause irritation of the respiratory tract. Prevent further leakage or spillage if safe to do so. Confined areas. Potential health effects Environmental prescuitons Prevent further leakage or spillage if safe to do so. Confined areas. Eyes Moderately irritating to the eyes. Methods for containment Prevent further leakage or spillage if safe to do so. Confined areas. Skin Contact with skin may cause irritation. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea. Handling. A void contact with skin and eyes. Wash hands thoroughly after handling. Sodium sulfonate Sodium sulfonate Store in cool place. Keep in a well-ventilated place. Storage Store in cool place. Keep in a well-ventilated place. Sodium sulfonate Sodium sulfonate Store in cool place. Keep in a well-ventilated place. Sodium sulfonate Store contact with skin and emergency showers are recommended. First aid procedures First aid procedures Eye wash fourtain and emergency showers are recommended. Store contact flush with large amounts owy contact water. First aid procedures is includical respiration. In the affectog persois. Immodiately take of all attention. First	Red Bank,	NJ 07701			6. Acciden	6. Accidental Release Measures			
Emergency overview Contact with eyes may cause irritation. May cause irritation of the respiratory tract. Prevent truther leakage or spillage if safe to do so. Onlined stress. Potential health effects Environmental presentations Prevent truther leakage or spillage if safe to do so. Onlined stress. Skin Contact with skin may cause irritation. Methods for containment Prevent truther leakage or spillage if safe to do so. Onlined stress. Skin Contact with skin may cause irritation. Online stappropriate propriate pretective equipment and clothing during clean-up. Use clean non-sparking tools to collect absorbed material. Sweep up and shovel int suitable containers for disposal. 7. Handling and Storage Handling Avoid contact with skin and eyes. Wash hands thoroughly after handling. Sodium olifin sulfonate Sodium sulfina sulfonate Sodium sulfina sulfonate Sodium sulfina sulfonate Sodium sulfina sulfonate Sodium sulfina sulfonate Sodium sulfina sulfonate Expervent controls / Personal Protection First aid procedures Exe ontact fitth skin harge amounts of water. Get medical containsition or move widtim to fresh air. Oxygen or artificial respiration i freeded. It berefores is containation in medical trespiration, apply artifical respiration, the affector pervise. Skin protection If symptoms are experienced, remove source of contamination or move widtim to fresh air. Oxygen or artificial respiration in the affectore pervise	2 Hazards	Identification			Personal prec	autions			
skin may cause irritation. May cause irritation of the respiratory tract. Prevent entry into waterways, sewers, basements o confined areas. Potential health effects Methods for containment. Composition of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea. Methods for cleaning up Wear appropriate protective equipment and clothing during clean-up. Use clean non-sparking tools to collect absorbed material. Sweep up and shovel int suitable containers for disposal. 3. Composition / Information on Ingredients 7. Handling and Storage Components Sodium sulfonate Sodium sulfonate Storage Sodium sulfonate Use general ventilation. Local exhaust is suggester for use, where possible, in enclosed or confined resuse. If irritation develops or persists. First aid procedures First aid procedures Eye ontaked Immediately flush eyes with plenty of water for at least 15 minutes. If irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Inhalation First aid procective of the sufficient to effectively prevent significant respiratory protection must be provided. If the affected person is not breathing, apply artificial respiration. In essing of a large amounts occurs, seek medical attention. Do NOT induce vomiting. Stree fire Cost Straw colored liquid performed areas. First aid procedures First aid procedures is in comparise to the develops or persists. Immediately take off all coontaminated clothing. Wash clothing separately before re					F acing sector	1	spaces before entering.		
Potential health effects Methods for cleaning up Wear appropriate protective equipment and clothing during clean-up. Use clean non-sparking tools to collect absorbed material. Sweep up and shovel int suitable containers for disposal. Potential health effects Composition / Information on Ingredients Scomposition / Information on Ingredients Scolum oldin sulfonate Sodium sulfonate Storage Sodium sulfonate Storage Sodium sulfonate Storage Water Storage First aid procedures Eye onladt thin kitple amounts of water for at least 15 minutes. If irritation develops or persists. Immediately flush eyes with plenty of water for at least 15 minutes. If irritation develops or persists. Immediately take of rail contaminated clothing. Wash clothing separately before reuse. Inhalation Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxyge and attention. Ingestion of a large amount occurs, seek medical attention. NOT induce vomiting. St. Fire Fighting Measures Extinguishing media Water fog. foam, dry chemical powder, carbon dioxide	Emergency	overview	skin may ca	use irritation. May cause irritation of the		•	Prevent entry into waterways, sewers, basements or		
Eyes Moderately irritating to the eyes. Suifable containers for disposal. Skin Contact with skin may cause irritation. Ingestion of lages amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea. 7. Handling and Storage 3. Composition / Information on Ingredients	Potential he	alth effects			Methods for c	leaning up			
Ingestion Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea. 7. Handling and Storage 3. Composition / Information on Ingredients Storage Storage <t< td=""><td>Eyes</td><td>Moderately i</td><td>rritating to the</td><td>eyes.</td><td></td><td></td><td></td></t<>	Eyes	Moderately i	rritating to the	eyes.					
disturbances including irritation, nausea and diarrhea. 3. Composition / Information on Ingredients Components Sodium olefin sulfonate Sodium sylenesulphonate First aid procedures Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Skin contact flush with large amounts of water. Get medical attention if initiation develops or persists. Skin contact flush with large amounts of water. Get medical attention in rinetication develops or persists. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh atin, Oxygen or artificial respiration. If the affected person is not breathing, apply artificial respir	Skin	Contact with	skin may cau	se irritation.					
3. Composition / Information on Ingredients handling. Components Storage	Ingestion								
Components Sodium olefin sulfonate Sodium sylenesulphonate Sodium sylenesulphonate Sodium sulfonate B. Exposure Controls / Personal Protection Water PEG Polyester Copolymer 4. First Aid Measures Engineering controls Use general ventilation. Local exhaust is suggester for use, where possible, in enclosed or confined spaces. First aid procedures Personal protective equipment Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Eye / face protection Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Respiratory protection If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move vicitm to fresh air. Oxygen or artificial respiration. If persting is difficult, give oxygen. Get medical attention. Do NOT induce vomiting. Straw colored liquid pH so for as is Ingestion If ingestion de arge amount occurs, seek medical attention. Do NOT induce vomiting. Stray colored liquid pH so for as is Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Percent Volatilie 83% <td colspan="3">3. Composition / Information on Ingredients</td> <td>Handling</td> <td colspan="3"></td>	3. Composition / Information on Ingredients			Handling					
Sodium olefin sulfonate 8. Exposure Controls / Personal Protection Sodium xylenesulphonate Sodium sulfonate Sodium sulfonate Use general ventilation. Local exhaust is suggested for use, where possible, in enclosed or confined spaces. PEG Polyester Copolymer Personal protective equipment 4. First Aid Measures General First aid procedures Eye vash fountain and emergency showers are recommended. Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Skin contact Son contact For skin contact flush with large amounts of water. Get medical attention if irritation evolops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. 9. Physical & Chemical Properties S. Fire Fighting Measures Color Straw colored liquid Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile	Component	6			Storage	Storage Store in cool place. Keep in a well-ventilated place.			
Sodium sulfonate Water Water PEG Polyester Copolymer 4. First Aid Measures Engineering controls Use general ventilation. Local exhaust is suggested for use, where possible, in enclosed or confined spaces. First aid procedures Eye wash fountain and emergency showers are recommended. Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Respiratory protection If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Do NOT induce vomiting. 9. Physical & Chemical Properties Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. Stir protection dig attention. Do NOT induce vomiting. Not applicable 5. Fire Fighting Measures Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile 83%	Sodium olef	in sulfonate			8. Exposur	8. Exposure Controls / Personal Protection			
Water PEG Polyester Copolymer First Aid Measures For use, where possible, in enclosed or confined spaces. First Aid Measures Personal protective equipment Eye wash fountain and emergency showers are recommended. First aid procedures Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Personal protective equipment Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Respiratory protection Wear suitable protective clothing. Use impervious gloves. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If the affected person is not breathing, apply artificial respiration. If person is not breathing, apply artificial respiration. If person is not breathing, apply artificial respiration. If person is not breathing, apply artificial respiration. Do NOT induce vomiting. 9. Physical & Chemical Properties Color Straw colored liquid pH 6-7 as is Flammability limits in air, Not determined PH Vapor pressure Not applicable Vapor density Not applicable Percent Volatile 83%	-	•							
PEG Polyester Copolymer spaces. 4. First Aid Measures Personal protective equipment First aid procedures Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Personal protective equipment Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Respiratory protection Wear suitable protective clothing. Use impervious gloves. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration if needed. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If affecting measures Oclor Straw colored liquid pH 6-7 as is 5. Fire Fighting Measures Water fog, foam, dry chemical powder, carbon dioxide Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile 83%		onate			Engineering	g controls	Use general ventilation. Local exhaust is suggested		
4. First Aid Measures General Eye wash fountain and emergency showers are recommended. First aid procedures Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Eye / face protection Wear splash goggles Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. NOT induce vomiting. 9. Physical & Chemical Properties Color Straw colored liquid pH 6-7 as is Flammability limits in air, upper, % by volume Not determined Vapor pressure Not applicable Vapor density Not applicable Percent Volatile 83%		ster Copolyme					•		
First aid procedures recommended. First aid procedures Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Skin protection Wear splash goggles Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Respiratory protection If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. 5. Fire Fighting Measures Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide					Personal pr	Personal protective equipment			
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists Skin protection Wear suitable protective clothing. Use impervious gloves. Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If Straw colored liquid pH 6-7 as is Ingestion If ingestion of a large amount occurs, seek medical attention. NOT induce vorniting. Dot alarge amount occurs, seek medical attention. Do NOT induce vorniting. Not applicable S. Fire Fighting Measures Vapor density Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide P	4. First Aid	Measures			General				
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists If irritation persists If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. Not determined S. Fire Fighting Measures Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile 83%	First aid pro	cedures							
Skin contact For skin contact flush with large amounts of water. Get medical attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. buildup of aerosols or vapors, appropriate NIOSH/ MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. Color Straw colored liquid 5. Fire Fighting Measures Not applicable Vapor pressure Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Straw colored liquid 83%	Eye contact	•	•	th plenty of water for at least 15 minutes.			gloves.		
attention if irritation develops or persists. Immediately take off all contaminated clothing. Wash clothing separately before reuse. MSHA respiratory protection must be provided. Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration if needed. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. 9. Physical & Chemical Properties Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. Not applicable 5. Fire Fighting Measures Vater fog, foam, dry chemical powder, carbon dioxide Percent Volatile	Skin contact			large amounts of water. Get medical	Respiratory	protection	21		
Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. Oxygen or artificial respiration if needed. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. Not determined 5. Fire Fighting Measures Vater fog, foam, dry chemical powder, carbon dioxide Percent Volatile 83%									
move victim to fresh air. Oxygen or artificial respiration if needed. If the affected person is not breathing, apply artificial respiration. If Color Straw colored liquid If the affected person is not breathing, apply artificial respiration. If PH 6-7 as is Ingestion If ingestion of a large amount occurs, seek medical attention. Do Not determined NOT induce vomiting. NOT induce vomiting. Not applicable S. Fire Fighting Measures Vapor density Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile 83%	Inhalation			9. Physical	9. Physical & Chemical Properties				
If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention. pH 6-7 as is Ingestion If ingestion of a large amount occurs, seek medical attention. pH 6-7 as is NOT induce vomiting. Vapor pressure Not applicable Vapor density Not applicable Percent Volatile 83%			•				_		
breathing is difficult, give oxygen. Get medical attention. Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. 5. Fire Fighting Measures Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide							-		
Ingestion If ingestion of a large amount occurs, seek medical attention. Do NOT induce vomiting. upper, % by volume 5. Fire Fighting Measures Vapor pressure Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile			•			u limite in al			
NOT induce vomiting. Vapor pressure Not applicable 5. Fire Fighting Measures Vapor density Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide Percent Volatile	Ingootier	0				-	NOT DETERMINED		
5. Fire Fighting Measures Vapor density Not applicable Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide 83%	ingestion	-	-	unt occurs, seek medical attention. Do			Not applicable		
5. Fire Fighting Measures Percent Volatile 83% Extinguishing media Water fog, foam, dry chemical powder, carbon dioxide			vomung.						
	5. Fire Figh	5. Fire Fighting Measures							
	Extinguishin	ng media	Water foo f	pam, dry chemical powder, carbon dioxide					
			(CO ₂)						

THE LEATHER INSTITUTE makes no warranty, express or implied, as to the accuracy, completeness or reliability of information herein except that such information is, to the best of THE LEATHER INSTITUTE'S knowledge and belief, accurate as of the date indicated. THE LEATHER INSTITUTE recommends that customers independently test and evaluate its products and processes in which THE LEATHER INSTITUTE products are used in order to decide their safety and effectiveness.

Page 1 of 2

The Leather Institute, LLC

10. Stability & Reactivity

Chemical stability	Stable at normal conditions
Incompatible materials	Strong oxidizing agents
Hazardous decomposition	Upon decomposition this product may yield sulfur
products	dioxide and oxides of sulfur.
Possibility of hazardous	Will not occur
reactions	

11. Disposal Considerations

Dispose in accordance with all applicable regulations. All wastes must be handled in accordance with local, state and federal regulations. Regulations vary

12. Transportation Information

Refer to bill of lading or container label for DOT or other transportation hazard classification if any.

13. Regulatory Information

Reportable Quantity (RQ) of this product is 250,000 pounds base upon Disodium Phosphate (7558-79-4) which yielded the lowest resultant RQ according to the following formula: CERCLA ingredient RQ / % of that ingredient in the product.

CERCLA (Su	CERCLA (Superfund) reportable quantity None						
Superfund Ar	Superfund Amendments and Reauthorization Act of 1986 (SARA)						
Section 302 e	Section 302 extremely hazardous substance No						
Section 311 hazardous chemical No							
Inventory sta	tus						
Country or regio	n Inventory Name	Liste					
Australia	Inventory of Chemical Substances (AICS)	уе					
Canada	Domestic Substances List (DSL)	уе					
Canada	Non-Domestic Substances List (NDSL)						
China	Inventory of Existing Chemical Substances(IECSC)						
Europe	Inventory of New and Existing Chemicals (EINECS)						
Europe	List of Notified Chemical Substances (ELINCS)						
Japan	n Inventory of Existing and New Chemical Substances (ENCS)						
Korea	Existing Chemicals List (ECL)	уе					
New Zealand	Inventory	no					
Philippines	Inventory of Chemicals and Chemicals Substance	s (PICCS) ye					
United States &	Toxic Substances Control Act Inventory (TSCA)	уе					
Puerto Rico							
* A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).							

142 Highway 35 South Red Bank, NJ 07701 F (732) 530-3440 E info@leatherinstitute.com www.leatherinstitute.com

		rlvania RTK - Hazardous Subst n sulfate (7757-82-6)	ances:						
ur	14. Other Information								
	HMIS [®] ratings	Health: Flammability: Physical hazard: Personal protection:	1 0 0 X						
s vary.	NFPA [®] ratings	Health: Flammability: Instability:	1 0 0						
azard									
odium the uct.									
ted* es es es es es es es es es es									
8									

THE LEATHER INSTITUTE makes no warranty, express or implied, as to the accuracy, completeness or reliability of information herein except that such information is, to the best of THE LEATHER INSTITUTE'S knowledge and belief, accurate as of the date indicated. THE LEATHER INSTITUTE recommends that customers independently test and evaluate its products and processes in which THE LEATHER INSTITUTE products are used in order to decide their safety and effectiveness.