TapiSuede[™] Stretch—



TapiSuede[™] Stretch was developed for the aircraft interiors market need for more pliable fabric on windows and headliners and contoured surfaces. This innovative fabric stretches around curves with ease for a tight, seamless fit.

Distinctive Features

- •Inherently stain resistant, washable, and cleanable
- •Superior durability, sophistication, performance, and softness
- •Multi-directional stretch, lightweight
- •Extreme pliability

www.tapiscorp.com | @tapiscorp

App: JH 9/6/2021 Revised: 12/16/2022

TapiSuede[™] Stretch—

Specifications

Description

Faux Suede

Composition

39% Recycled Polyester, 49% Polyester, 12% Polyurethane, Proprietary FR Back Coating

General

Roll Size: 33 yards (+/- 10%) Width: 56" (+/-10%) Weight: 11.85 oz/sq yd /402 g/sm (+/- 10%) Thickness: 1.07 mm / .042" (+/- 10%)

FRC Meets:
rru meels.

Test	Method
60 second Vertical Burn Test	FAR 25.853(a) Appendix F, Part I,(a), 1(i):60sec
12 Second Vertical Burn	FAR 25.853(a) Appendix F, Part I,(a), 1(ii):12sec
Seat Cushion with Fireblock	FAR 25.853 (b) Appendix F, Part II
Abrasion Test	ASTM D4157-02 Wyzenbeek method 200,000 double rubs
Breaking Force	ASTM D5034: Warp- 141.84, Fill- 141.85
Colorfastness to Light	AATCC 16, 200 hours Grade 5
Colorfastness to Crocking	AATCC 8: Grade 4.5-5
Pilling Resistance	ASTM D3511: Grade 5



